

## Notice of Allowability

Application No.

10/660,177

Examiner

Robert G. Santos

Applicant(s)

CALKIN, CARSTON R.

Art Unit

3673

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the papers filed on 12 October 2004.
2. ☒ The allowed claim(s) is/are 1-4.
3. ☐ The drawings filed on \_\_\_\_\_ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☒ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☒ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☒ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

### Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☒ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
**ROBERT G. SANTOS**  
**PRIMARY EXAMINER**

### REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: The examiner respectfully agrees with Applicant's arguments on pages 6-14 of his amendment stating that none of the prior art, taken either singly or in combination, is seen to teach or suggest the use of a flexible drag stretcher comprising the particular structure of a longitudinally elongated flexible center base panel; a longitudinally elongated, flexible side torso flap member associated with each opposite lateral side edge of the center base panel; and flexible hinge means for interconnecting the center base panel and side torso flap members *in connected but separated condition*; wherein the center base panel and each torso flap member each comprise a longitudinally elongated sheet *formed of a selected flexible synthetic thermoplastic resin material* and have sufficient flexibility *to allow the stretcher to be rolled in its longitudinal direction into a tightly rolled, compact, cylindrical storage condition containing the side torso flap members within the center base panel and having an overall cylinder length substantially equal to the width of the center base panel defined by the opposite lateral side edges thereof*, as explicitly recited in Applicant's sole independent claim 1. With regards to the cited prior art, the stretcher disclosed in Finken '692 comprises a center base panel and side torso flap members secured to a pair of rigid carrying poles, whereas the respective stretchers disclosed in Smith '075 and Eskeli '850 each include a center base panel and side torso flap members having longitudinal wood or plastic stiffening elements disposed therein; hence, the Finken '692, Smith '075 and Eskeli '850 references clearly teach against the use of a stretcher comprising a plurality of flexible sections that are configured to be folded in an overlying manner and rolled in a

Art Unit: 3673

longitudinal direction into a cylindrical configuration as claimed by Applicant. Consequently, it is considered that the application is currently in proper condition for allowance.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert G. Santos whose telephone number is (703) 308-7469. The examiner can normally be reached on Tues-Fr and first Mondays, 10:30 a.m. to 8:00 p.m..


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Heather C. Shackelford can be reached on (703) 308-2978. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/660,177

Page 4

Art Unit: 3673

A handwritten signature in black ink, appearing to read "Robert G. Santos". The signature is fluid and cursive, with the first name "Robert" and last name "Santos" clearly distinguishable.

Robert G. Santos  
Primary Examiner  
Art Unit 3673

R.S.

November 15, 2004